



**Northlake Steel Corporation**

To place an order or inquire on inventory call 1-888-278-4682

\*All items subject to prior sale

**Linear Shafting**

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.1870	1060	146.00	47
0.2362	1060	91.00	2
0.2362	1060	93.00	1
0.2362	1060	106.00	1
0.2362	1060	108.00	4
0.2362	1060	109.00	1
0.2362	1060	118.00	4
0.2362	1060	131.00	2
0.2362	1060	148.00	529
0.2490	1060	110.00	2
0.2490	1060	113.00	6
0.2490	1060	120.00	2
0.2490	1060	136.00	2
0.2490	1060	141.00	2
0.2490	1060	143.00	4
0.2490	1060	148.00	47
0.2490	1060	151.00	10
0.2495	1060	93.00	3
0.2495	1060	97.00	1
0.2495	1060	99.00	1
0.2495	1060	101.00	1
0.2495	1060	102.00	1
0.2495	1060	114.00	2
0.2495	1060	118.00	2
0.2495	1060	119.00	2
0.2495	1060	123.00	5
0.2495	1060	129.00	2
0.2495	1060	131.00	2
0.2495	1060	133.00	2
0.2495	1060	134.00	7
0.2495	1060	135.00	4
0.2495	1060	136.00	2
0.2495	1060	138.00	44
0.2495	1060	139.00	69
0.2495	1060	141.00	6
0.2495	1060	143.00	4
0.2495	1060	144.00	12
0.2495	1060	145.00	20
0.2495	1060	147.00	2
0.2495	1060	148.00	6
0.2495	1060	149.00	91
0.2495	1060	150.00	175
0.2495	1060	151.00	82
0.2495	1060	152.00	6
0.2495	1060	153.00	2
0.2500	1060	109.00	2
0.2500	1060	115.00	2
0.2500	1060	139.00	54
0.2500	1060	142.00	0
0.2500	1060	145.00	190
0.3745	1060	60.00	2
0.3745	1060	69.00	2
0.3745	1060	79.00	2
0.3745	1060	81.00	3
0.3745	1060	112.00	3



**Northlake Steel Corporation**

To place an order or inquire on inventory call 1-888-278-4682

\*All items subject to prior sale

**Linear Shafting**

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.3745	1060	135.00	4
0.3745	1060	139.00	4
0.3745	1060	140.00	4
0.3745	1060	149.00	549
0.3745	440C	28.00	0
0.3745	440C	67.00	2
0.3745	440C	72.00	2
0.3745	440C	74.00	2
0.3745	440C	81.00	3
0.3745	440C	97.00	3
0.3745	440C	98.00	3
0.3745	440C	100.00	3
0.3745	440C	102.00	3
0.3745	440C	108.00	3
0.3745	440C	116.00	11
0.3745	440C	121.00	8
0.3745	440C	127.00	4
0.3745	440C	129.00	4
0.3745	440C	130.00	8
0.3745	440C	132.00	4
0.3745	440C	136.00	4
0.3745	440C	137.00	4
0.3745	440C	139.00	4
0.3745	440C	140.00	4
0.3745	440C	141.00	9
0.3745	440C	142.00	9
0.3745	440C	143.00	13
0.3745	440C	144.00	40
0.3745	440C	145.00	18
0.3745	440C	147.00	115
0.3745	440C	148.00	388
0.3745	440C	149.00	581
0.3750	1060	73.50	2
0.3750	1060	100.00	3
0.3750	1060	104.00	7
0.3750	1060	119.50	26
0.3750	1060	120.00	4
0.3750	1060	137.00	21
0.3750	1060	149.00	350
0.3937	1060	65.00	7
0.3937	1060	114.00	16
0.3937	1060	132.00	27
0.3937	1060	148.00	383
0.4990	1060	87.00	5
0.4990	1060	98.75	5
0.4990	1060	120.00	7
0.4990	1060	121.00	20
0.4990	1060	122.25	7
0.4990	1060	123.25	7
0.4990	1060	125.00	7
0.4990	1060	131.00	7
0.4990	1060	137.25	8
0.4990	1060	151.75	8
0.4990	1060	153.25	8
0.4990	1060	153.75	9



**Northlake Steel Corporation**

To place an order or inquire on inventory call 1-888-278-4682

\*All items subject to prior sale

**Linear Shafting**

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.4990	1060	155.75	9
0.4990	1060	159.50	9
0.4990	1060	160.25	9
0.4990	1060	162.75	9
0.4990	1060	164.75	9
0.4990	1060	175.00	19
0.4990	1060	176.75	10
0.4990	1060	177.00	20
0.4990	1060	184.50	10
0.4990	1060	186.50	858
0.4990	1060	122.00	7
0.4990	1060	128.00	7
0.4990	1060	132.00	7
0.4990	1060	135.00	7
0.4990	1060	146.00	32
0.4990	1060	151.00	8
0.4990	1060	161.00	9
0.4990	1060	170.00	9
0.4990	1060	173.00	10
0.4990	1060	176.00	29
0.4990	1060	180.00	30
0.4990	1060	182.00	10
0.4990	1060	184.00	10
0.4990	1060	185.00	246
0.4990	1060	185.50	935
0.4990	1060	189.00	10
0.4990	1060	191.00	11
0.4990	1060	195.00	11
0.4990	1060	213.00	47
0.4990	440C	94.00	5
0.4990	440C	106.00	6
0.4990	440C	118.00	7
0.4990	440C	128.50	71
0.4990	440C	139.00	15
0.4990	440C	139.50	116
0.4990	440C	144.00	16
0.4990	440C	149.00	206
0.4990	440C	150.00	723
0.4990	440C	190.00	0
0.4995	1060	75.00	0
0.4995	1060	159.00	9
0.4995	1060	180.00	10
0.4995	1060	184.00	20
0.4995	1060	184.50	0
0.4995	1060	184.85	0
0.4995	1060	185.00	2,568
0.4995	440C	149.00	0
0.5000	1060	143.00	8
0.5000	1060	153.00	162
0.5000	1060	158.00	32
0.5000	1060	179.00	50
0.5000	1060	184.00	133
0.5000	1060	185.00	0
0.5000	1060	197.00	0
0.5000	1060	56.00	3



**Northlake Steel Corporation**

To place an order or inquire on inventory call 1-888-278-4682

\*All items subject to prior sale

**Linear Shafting**

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.6240	1060	69.00	6
0.6240	1060	117.00	10
0.6240	1060	174.00	15
0.6240	1060	183.00	16
0.6240	1060	186.00	645
0.6240	1060	189.00	33
0.6240	1060	194.00	34
0.6240	440C	96.00	8
0.6240	440C	124.00	11
0.6240	440C	137.00	83
0.6240	440C	143.00	297
0.6240	440C	148.00	757
0.6240	440C	168.00	15
0.6240	440C	188.00	16
0.6245	1060	185.00	64
0.6245	1060	188.00	0
0.6245	1060	194.00	8,468
0.6245	440C	55.00	5
0.6245	440C	60.00	5
0.6245	440C	78.00	7
0.6245	440C	83.00	7
0.6245	440C	87.00	15
0.6245	440C	96.00	8
0.6245	440C	101.00	9
0.6245	440C	108.00	9
0.6245	440C	127.00	11
0.6245	440C	133.00	12
0.6245	440C	134.00	12
0.6245	440C	147.00	13
0.6245	440C	152.00	13
0.6245	440C	154.00	27
0.6245	440C	170.00	15
0.6245	440C	171.00	30
0.6245	440C	173.00	15
0.6245	440C	181.00	79
0.6245	440C	184.00	80
0.6245	440C	185.00	16
0.6245	440C	186.00	81
0.6245	440C	187.00	341
0.6245	440C	188.00	33
0.6245	440C	189.00	16
0.6250	1060	174.00	0
0.6299	1060	174.00	0
0.7087	1060	157.00	18
0.7087	1060	164.00	18
0.7087	1060	185.00	2,315
0.7488	1060	145.00	18
0.7488	1060	184.00	436
0.7490	1060	181.75	91
0.7490	1060	185.00	1,640
0.7490	440C	143.00	36
0.7490	440C	144.00	18
0.7490	440C	148.00	1,090
0.7490	440C	149.00	0
0.7495	1060	183.00	0



**Northlake Steel Corporation**

To place an order or inquire on inventory call 1-888-278-4682

\*All items subject to prior sale

**Linear Shafting**

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.7495	1060	120.00	15
0.7495	440C	67.00	8
0.7495	440C	73.00	9
0.7495	440C	81.00	10
0.7495	440C	93.00	12
0.7495	440C	98.00	0
0.7495	440C	104.00	26
0.7495	440C	126.00	16
0.7495	440C	129.00	16
0.7495	440C	131.00	16
0.7495	440C	133.00	33
0.7495	440C	142.00	18
0.7495	440C	143.00	36
0.7495	440C	144.00	54
0.7495	440C	148.00	2,127
0.7495	440C	149.00	0
0.7874	1060	175.00	1,690
0.7874	1060	179.00	0
0.7874	1060	185.00	0
0.8745	1060	157.00	53
0.8745	1060	188.00	128
0.8745	1060	192.00	4,574
0.9843	1060	205.75	0
0.9843	1060	208.00	2,870
0.9990	1060	12.00	51
0.9990	1060	208.00	1,293
0.9990	440C	136.00	30
0.9990	440C	140.00	31
0.9990	440C	163.00	36
0.9990	440C	183.00	41
0.9990	440C	194.00	86
0.9990	440C	196.00	87
0.9990	440C	197.00	44
0.9990	440C	198.00	88
0.9990	440C	199.00	44
0.9990	440C	215.00	0
0.9990	440C	216.00	48
0.9990	440C	218.00	145
0.9990	440C	219.00	97
0.9990	440C	220.00	928
0.9990	440C	221.00	1,227
0.9990	440C	222.00	296
0.9990	440C	223.00	50
0.9995	1060	115.00	26
0.9995	1060	135.00	30
0.9995	1060	138.00	123
0.9995	1060	165.00	73
0.9995	1060	170.00	0
0.9995	1060	174.00	271
0.9995	1060	176.00	39
0.9995	1060	179.00	239
0.9995	1060	180.00	40
0.9995	1060	190.00	169
0.9995	1060	192.00	43
0.9995	1060	195.00	130



**Northlake Steel Corporation**

To place an order or inquire on inventory call 1-888-278-4682

\*All items subject to prior sale

**Linear Shafting**

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.9995	1060	197.00	44
0.9995	1060	201.00	89
0.9995	1060	201.50	0
0.9995	1060	202.00	45
0.9995	1060	205.00	91
0.9995	1060	206.00	137
0.9995	1060	209.00	2,648
0.9995	440C	143.00	0
0.9995	440C	163.00	0
0.9995	440C	176.00	0
0.9995	440C	194.00	0
0.9995	440C	219.00	0
1.0000	1060	204.75	137
1.0000	1060	205.00	46
1.0000	1060	208.00	648
1.0000	1060	209.00	1,163
1.1245	1060	201.00	0
1.1245	1060	204.00	115
1.1250	1060	231.25	326
1.1811	1060	202.00	0
1.1811	1060	209.00	0
1.2485	440C	133.00	46
1.2485	440C	138.00	48
1.2485	440C	148.00	51
1.2485	440C	158.00	55
1.2485	440C	163.00	57
1.2485	440C	168.50	58
1.2485	440C	178.00	62
1.2485	440C	179.00	62
1.2485	440C	182.00	63
1.2485	440C	193.00	469
1.2485	440C	193.50	67
1.2485	440C	198.00	137
1.2485	440C	199.00	207
1.2485	440C	210.00	73
1.2485	440C	212.50	74
1.2485	440C	213.50	74
1.2485	440C	216.50	75
1.2490	1060	198.00	69
1.2490	1060	204.00	71
1.2490	1060	208.00	1,516
1.2490	440C	73.00	51
1.2490	440C	93.00	97
1.2490	440C	111.00	39
1.2490	440C	116.00	40
1.2490	440C	126.00	44
1.2490	440C	129.00	90
1.2490	440C	141.00	49
1.2490	440C	144.00	50
1.2490	440C	148.50	52
1.2490	440C	155.00	54
1.2490	440C	160.00	56
1.2490	440C	165.00	57
1.2490	440C	166.00	58
1.2490	440C	171.00	534



**Northlake Steel Corporation**

To place an order or inquire on inventory call 1-888-278-4682

\*All items subject to prior sale

**Linear Shafting**

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
1.2490	440C	180.00	62
1.2490	440C	185.00	128
1.2490	440C	188.00	65
1.2490	440C	195.00	68
1.2490	440C	210.00	146
1.2490	440C	211.00	73
1.2490	440C	213.00	148
1.2490	440C	214.00	149
1.2490	440C	215.00	149
1.2490	440C	217.00	151
1.2490	440C	220.00	76
1.2490	440C	222.00	385
1.2495	1060	186.00	65
1.2495	1060	204.00	213
1.2495	1060	205.00	71
1.2495	1060	208.00	7,298
1.2495	1060	208.50	0
1.2495	440C	213.00	74
1.2495	440C	214.00	149
1.2495	440C	215.00	75
1.2495	440C	216.00	75
1.2495	440C	217.00	302
1.2495	440C	218.00	151
1.2495	440C	219.00	76
1.2495	440C	222.00	386
1.2495	440C	224.00	78
1.2500	1060	208.00	1,012
1.2503	1060	181.00	126
1.2503	1060	193.00	67
1.2503	1060	202.00	70
1.2598	1060	204.00	72
1.2598	1060	205.00	72
1.2598	1060	206.00	73
1.2598	1060	209.00	590
1.3745	1060	203.00	85
1.3745	1060	207.00	3,045
1.3779	1060	205.00	173
1.3779	1060	207.00	87
1.3779	1060	208.00	176
1.4974	1060	208.00	726
1.4989	1060	104.00	52
1.4989	1060	208.00	104
1.4989	1060	93.00	46
1.4989	1060	110.00	55
1.4989	1060	126.00	63
1.4989	1060	130.00	65
1.4989	1060	169.00	84
1.4989	1060	204.00	204
1.4989	1060	208.00	3,431
1.4989	1060	209.00	0
1.4989	440C	46.00	23
1.4989	440C	89.00	44
1.4989	440C	151.00	0
1.4989	440C	161.00	80
1.4989	440C	168.00	84



**Northlake Steel Corporation**

To place an order or inquire on inventory call 1-888-278-4682

\*All items subject to prior sale

**Linear Shafting**

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
1.4989	440C	175.00	175
1.4989	440C	177.00	88
1.4989	440C	179.00	89
1.4989	440C	180.00	90
1.4989	440C	196.00	98
1.4989	440C	197.00	98
1.4989	440C	198.00	99
1.4989	440C	199.00	199
1.4989	440C	200.00	100
1.4989	440C	209.00	104
1.4989	440C	211.50	106
1.4989	440C	213.00	426
1.4989	440C	216.00	108
1.4989	440C	217.00	217
1.4989	440C	218.00	109
1.4989	440C	219.00	109
1.4989	440C	220.00	330
1.4989	440C	221.00	110
1.4989	440C	222.00	999
1.4989	440C	223.00	780
1.4989	440C	224.00	784
1.4994	1060	58.00	29
1.4994	1060	200.00	0
1.4994	1060	202.00	0
1.4994	1060	208.00	0
1.4994	440C	68.00	34
1.4994	440C	75.00	38
1.4994	440C	86.00	43
1.4994	440C	88.00	44
1.5000	1060	155.00	233
1.5000	1060	194.00	291
1.5000	1060	200.00	401
1.5000	1060	201.00	0
1.5000	1060	206.00	103
1.5000	1060	208.00	417
1.5748	1060	204.00	113
1.5748	1060	208.00	1,377
1.7490	1060	208.00	1,133
1.7490	1060	201.00	137
1.7490	1060	205.00	279
1.7490	1060	209.00	2,418
1.7495	1060	145.00	99
1.7495	1060	167.00	114
1.7495	1060	185.00	126
1.7495	1060	204.00	0
1.7495	1060	209.00	427
1.7495	1060	175.00	119
1.7495	1060	204.00	139
1.7495	1060	207.00	141
1.7500	1060	188.00	384
1.7500	1060	204.00	0
1.7716	1060	193.00	135
1.7716	1060	203.00	142
1.7716	1060	209.00	1,460
1.9685	1060	91.00	157



**Northlake Steel Corporation**

To place an order or inquire on inventory call 1-888-278-4682

\*All items subject to prior sale

**Linear Shafting**

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
1.9685	1060	96.00	83
1.9685	1060	124.00	107
1.9685	1060	136.00	352
1.9685	1060	156.00	135
1.9685	1060	206.00	178
1.9685	1060	208.00	0
1.9685	1060	209.00	1,982
1.9965	1060	208.00	1,660
1.9987	1060	145.00	129
1.9987	1060	191.00	170
1.9987	1060	194.00	517
1.9987	1060	195.00	0
1.9987	1060	204.00	181
1.9987	1060	206.00	0
1.9987	1060	209.00	0
1.9987	1060	246.00	219
1.9987	440C	65.00	58
1.9987	440C	130.50	232
1.9987	440C	179.00	159
1.9987	440C	192.00	171
1.9987	440C	200.00	178
1.9987	440C	205.00	182
1.9987	440C	209.00	186
1.9987	440C	214.00	571
1.9987	440C	216.50	192
1.9987	440C	219.00	195
1.9987	440C	222.00	1,973
1.9987	440C	223.00	198
1.9994	1060	182.00	162
1.9994	1060	183.00	163
1.9994	1060	186.00	331
1.9994	1060	196.00	0
1.9994	1060	205.00	365
1.9994	1060	208.00	9,805
1.9994	1060	182.00	162
1.9994	1060	209.00	186
2.0003	1060	199.00	177
2.0003	1060	205.00	183
2.0003	1060	208.00	1,481
2.2493	1060	208.00	702
2.2500	1060	181.00	408
2.2500	1060	205.00	231
2.2500	1060	206.00	232
2.2500	1060	209.00	1,883
2.4985	440C	44.75	62
2.4985	440C	73.75	102
2.4985	440C	74.00	103
2.4985	440C	75.00	104
2.4985	440C	135.50	188
2.4985	440C	137.00	190
2.4985	440C	149.00	207
2.4985	440C	190.00	264
2.4993	1060	206.00	0
2.4993	1060	208.00	2,024
2.4993	440C	176.00	734



**Northlake Steel Corporation**

To place an order or inquire on inventory call 1-888-278-4682

\*All items subject to prior sale

**Linear Shafting**

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
2.4993	440C	186.00	517
2.5000	1060	170.00	709
2.5000	1060	197.00	1,918
2.5000	1060	198.00	0
2.9992	1060	208.00	1,249
2.9992	1060	291.00	0
3.1496	1060	152.00	335
3.1496	1060	185.00	408
3.1496	1060	199.00	439
3.1496	1060	205.00	452
3.1496	1060	208.00	1,836
3.9976	1060	59.50	212
3.9976	1060	197.00	700
3.9976	1060	200.00	1,422
3.9976	1060	207.00	736
3.9976	1060	209.00	7,431
3.9988	1060	83.00	295
3.9988	1060	86.00	306
3.9988	1060	110.00	391
3.9988	1060	209.00	2,231